Diabetes (Adults)

Diabetes (Adults)

- •Most recent data (2013): 6% or about 98,500 King County adults age 18+.
 •Trend over time: 2000-13: rising
 •Description: Ever told by doctor, nurse, or other health professional to have diabetes (does not include diabetes during pregnancy or pre-diabetes)

Diabetes (adults), King County, 2009-2013 average

	Percent	Lower CI	Upper CI
King County (adults age 18+)	7	6	7
AGE			
18-24	0 §	0 §	1 §
25-44	2	2	3
45-64	9	8	10
65+	18	17	21
GENDER			
Male	7	7	8
Female	6	5	7
RACE/ETHNICITY			
AIAN	18	10	31
Asian	7	5	9
Black	12	9	16
Hispanic	7	5	10
Multiple	7	4	11
NHPI	6 §	3§	13 §
White	6	5	6
HOUSEHOLD INCOME			
<\$15,000	9	7	12
\$15,000 to \$24,999	10	8	12
\$25,000 to \$34,999	9	7	12
\$35,000 to \$49,999	7	6	9
\$50,000 to \$74,999	7	6	9
\$75,000+	4	4	5
REGION			
East	5	4	6
North	5	4	7
Seattle	5	4	6
South	10	8	11

Comparisons:

Higher than King County rate (yellow) Lower than King County rate (green)

Notes:

Source: Behavioral Risk Factor Surveillance System.

Prepared by Public Health - Seattle & King County, APDE, 12/2014.


CI is 95% Confidence Interval.

 * Too few cases to protect confidentiality and/or report reliable rates.

§ Too few cases to meet precision standard, interpret with caution.

Persons of Hispanic ethnicity can be of any race and are included in the racial categories.

Diabetes (adults) King County, 2009-2013 average



Source: Behavioral Risk Factor Surveillance System.

Prepared by Public Health - Seattle & King County, APDE, 12/2014. |-----| Confidence interval shows range that includes true value 95% of the time.

§ Too few cases to meet precision standard, interpret with caution. Persons of Hispanic ethnicity can be of any race and are included in the racial categories.

Too few cases to protect confidentiality and/or report reliable rates.

Diabetes (adults) by comparison areas

There is no Healthy People 2020 Objective for diabetes (adults).

	Latest Available Year	Percent	Lower CI	Upper CI
United States	2012	10	N/A	N/A
WA State	2012	9	8	9
King County	2013	6	5	8


Source: Behavioral Risk Factor Surveillance System.

Prepared by Public Health - Seattle & King County, APDE, 12/2014.

N/A: Not available.

Cl is 95% Confidence Interval.

Diabetes (adults) by comparison areas



Source: Behavioral Risk Factor Surveillance System.
Prepared by Public Health - Seattle & King County, APDE, 12/2014.
|-----| Confidence interval shows range that includes true value 95% of the time.

Diabetes (adults) by health reporting areas, King County, 2009-2013 average

	Percent	Lower CI	Upper CI
King County (adults age 18+)	7	6	7
Auburn	16	11	21
Auburn-North	10	7	15
Auburn-South	24	15	35
Bear Creek/Carnation/Duvall	5	3	8
Bellevue	5	4	6
Bellevue-Central	6	3	9
Bellevue-NE	6	3	9
Bellevue-South	5 §	3 §	9 §
Bellevue-West	3	2	5
Black Diamond/Enumclaw/SE County	8	6	12
Bothell/Woodinville	6	3	9
Burien	8	5	12
Covington/Maple Valley	8	5	11
Des Moines/Normandy Park	10	6	17
East Federal Way	9 §	4 §	17 [§]
Fairwood	9	5	14
Federal Way	11	8	16
Fed Way-Central/Military Rd	14	9	21
Fed Way-Dash Point/Woodmont	6	4	11
Issaquah	3 §	2 §	6 §
Kenmore/LFP	3	2	5
Kent	10	8	13
Kent-East	14 §	7 \$	25 §
Kent-SE	9	6	13
Kent-West	9	5	16
Kirkland	4	3	6
Kirkland	4	2	6
Kirkland North	5	3	8
Mercer Isle/Pt Cities	5	3	7
Newcastle/Four Creeks	7	4	11
North Highline	12 §	5§	29 §
Redmond	6	4	11
	9	7	12
RentonRenton-East	6 §	3 §	12 §
Renton-North	9	5	15
Renton-South	10	6	15
Sammamish	4	2	6
SeaTac/Tukwila	8	5	14
Seattle	5 7 \$	4 4 §	6
Ballard	<u> </u>		13 §
Beacon/Gtown/S.Park	8 §	4 §	15 [§]
Capitol Hill/E.lake	6 §	3 §	13 [§]
Central Seattle	3 §	2 §	5 §
Delridge	9	5	16
Downtown	5 §	3 §	9§
Fremont/Greenlake	3 §	1 §	5 §
NE Seattle	5	3	8
North Seattle	4 §	2 §	8 §
NW Seattle	6	4	10
QA/Magnolia	4 \$	2§	9§
SE Seattle	7	4	12
Vest Seattle	5	3	8
Shoreline	7	5	10
Snoreline Snoqualmie/North Bend/Skykomish	7	4	10
Vashon Island Comparisons:	4 §	2 §	10 §

Comparisons:

Higher than King County rate (yellow)

Lower than King County rate (green)

Notes:

Source: Behavioral Risk Factor Surveillance System.

Prepared by Public Health - Seattle & King County, APDE, 12/2014.


CI is 95% Confidence Interval.

* Too few cases to protect confidentiality and/or report reliable rates.

 \S Too few cases to meet precision standard, interpret with caution.

Persons of Hispanic ethnicity can be of any race and are included in the racial categories.


Diabetes (adults) by health reporting areas King County, 2009-2013 average



Note: HRA labels on the map match the chart on the right, listed in alphabetical order Source: Behavioral Risk Factor Surveillance System.

Prepared by Public Health - Seattle & King County, APDE, 12/2014.

Diabetes (adults) King County, 2000-2013, three-year rolling averages



Source: Behavioral Risk Factor Surveillance System. Prepared by Public Health - Seattle & King County, APDE, 12/2014.

Produced by the
Assessment, Policy Development & Evaluation Unit
Public Health - Seattle & King County
12/14

